

AD-A192 125

GAS PHASE ION-MOLECULE CHEMISTRY OF PHOSPHORUS AND
SULFUR COMPOUNDS(U) COLORADO UNIV AT BOULDER DEPT OF
CHEMISTRY C H DEPUY ET AL. 18 MAR 88 ARO-22452.14-CH

1/1


UNCLASSIFIED

DAG29-85-K-0046

F/G 7/4

NL





COPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS - 981 -

UNCLASSIFIED

DTIC FILE COPY

AD-A192 125

6

SECURITY CLASSIFICATION OF THIS PAGE

DTIC DOCUMENTATION PAGE

1. REPORT SECURITY CLASSIFICATION Unclassified		1b. RESTRICTIVE MARKINGS None	
2. SECURITY CLASSIFICATION AUTHORITY APR 13 1988		3. DISTRIBUTION/AVAILABILITY OF REPORT Unlimited	
4. DECLASSIFICATION/DOWNGRADING SCHEDULE		5. MONITORING ORGANIZATION REPORT NUMBER(S) ARO 22452.14-CH	
6. PERFORMING ORGANIZATION REPORT NUMBER		7a. NAME OF MONITORING ORGANIZATION	
NAME OF PERFORMING ORGANIZATION University of Colorado Department of Chemistry		7b. ADDRESS (City, State and ZIP Code)	
ADDRESS (City, State and ZIP Code) Campus Box 215 Boulder, CO 80302-0215		8. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER DAAG29-85-K-0046	
NAME OF FUNDING/SPONSORING ORGANIZATION U.S. Army Research Office		9. SOURCE OF FUNDING NOS.	
ADDRESS (City, State and ZIP Code) P.O. Box 12211 Research Triangle Park, NC 27709		PROGRAM ELEMENT NO.	PROJECT NO.
TITLE (Include Security Classification) Report #18 Unclassified		TASK NO.	WORK UNIT NO.
PERSONAL AUTHOR(S)			

10. TYPE OF REPORT FINAL	13a. TIME COVERED FROM 1/20/85 TO 1/19/88	14. DATE OF REPORT (Yr., Mo., Day) 1988, March 18	15. PAGE COUNT 9
-----------------------------	--	--	---------------------

SUPPLEMENTARY NOTATION

Title of Contract: GAS PHASE ION-MOLECULE CHEMISTRY OF PHOSPHORUS AND SULFUR COMPOUNDS

COSATI CODES			16. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)
FIELD	GROUP	SUB GR	
			Flowing Afterglow, Phosphorus compounds
			Selected Ion Flow Tube, Sulfur compounds
			Ion-Molecule Chemistry, Energy-rich species

ABSTRACT (Continue on reverse if necessary and identify by block number)

This final report summarizes three years of research on the ion-molecule chemistry of phosphorus and sulfur compounds in the gas phase. A new instrument, the tandem flowing afterglow SIFT drift, has been successfully designed and constructed; the instrument has exceptional sensitivity, resolution and versatility. New techniques have been developed for the preparation of reactive phosphorus and sulfur species. The gas phase chemistry of energy-rich ions and neutrals has been studied. (12 words)

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

17. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS <input type="checkbox"/>		21. ABSTRACT SECURITY CLASSIFICATION Unclassified	
22. NAME OF RESPONSIBLE INDIVIDUAL CHARLES H. DePUY		22a. TELEPHONE NUMBER (Include Area Code) (303) 492-7652	22c. OFFICE SYMBOL

D FORM 1473, 83 APR

EDITION OF 1 JAN 73 IS OBSOLETE.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

ARO REPORT NO. 18

GAS PHASE ION-MOLECULE CHEMISTRY OF
PHOSPHORUS & SULFUR COMPOUNDS

FINAL REPORT

CHARLES H. DEPUY
VERONICA M. BIERBAUM

March 18, 1988

Contract No. DAAG29-85-K-0046

UNIVERSITY OF COLORADO
BOULDER, COLORADO 80309-0215

TABLE OF CONTENTS

SUMMARY OF THE RESEARCH PROGRAM

A. Statement of the Problem Studied.....	3
B. Summary of the Most Important Results	3
C. ARO Sponsored Publications.....	7
D. Participating Scientific Personnel.....	9

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	<div style="border: 1px solid black; border-radius: 50%; padding: 5px; text-align: center;"> DTIC COPY INSPECTED </div>

Summary of the Research Problem

A. STATEMENT OF THE PROBLEM STUDIED

Our overall objective in this research was to develop methods by which the gas phase ion-molecule chemistry of phosphorus and sulfur compounds can be compared with that of their first-row counterparts, analogous compounds of nitrogen and oxygen. This has involved two aspects, one the construction of a new instrument in which ions of these elements can be prepared and reacted and, second, the development of new methods for the preparation of neutral reactants for study. In the first of these objectives we have been spectacularly successful and in the second a great deal of progress has been made.

B. SUMMARY OF THE MOST IMPORTANT RESULTS

Overall views of our research into gas-phase ion molecule reactions are contained in three review articles (Ref. 6, 7, 12). The major instrumental advance was the successful construction of the flowing afterglow selected ion flow-drift tube (FA-SIFT-Drift). A schematic of this instrument is given in Figure 1 and more details of its operation are given in published articles (Ref. 9, 13). Briefly, ions are produced in a flowing afterglow by either direct electron impact or by ion-molecule synthetic pathways. At the end of this first FA the ion plasma is sampled into a low-pressure quadrupole region, the neutrals are removed by pumping and ions of the desired mass-to-charge ratio are selected in a quadrupole mass filter and injected into a second FA. In this second flow tube the reactions of these ions can be studied without complications from the presence of other ions, electrons, photons or precursor neutrals. The instrument has proven to have extremely high selectivity and sensitivity so





Figure 1. The Tandem Flowing Afterglow-SIFT-Drift Instrument.

that, for example, isotopically labelled ions can often be injected from unenriched neutral precursors, merely relying on the natural abundance of such isotopes as ^{18}O (0.25%) (Ref. 9), ^{13}C (1.1%) or ^{15}N (0.5%). Highly reactive and/or unusual ions like CH_2^- (Ref. 10), HCSi^- or PO_3^- can also be prepared and studied. The development of this instrument has enormously extended our ability to investigate gas-phase ion-molecule chemistry.

Simultaneously we have been developing methods by which highly reactive neutral molecules can be generated in the gas phase so that their ion chemistry can be investigated. Our previous studies of gas phase ion chemistry have convinced us that there is usually a very good correlation between the reaction pathways observed in the gas phase and those seen in solution. Thus, if we can investigate the gas phase ion chemistry of these unusual species, we can predict how they will react in solution. We have therefore equipped our flowing afterglow apparatus with a pyrolyzer. Appropriate precursors are allowed to flow through this furnace at which times they decompose with the formation of the desired neutral. They then flow directly into the FA where they are cooled by collisions with helium and allowed to react with anions. An example is shown below:



Neither methyl metaphosphite nor the metaphosphite ion has ever been studied previously in the gas phase or in solution. These studies are presently being prepared for publication.

In parallel with these investigations we have been studying the gas phase ion chemistry of a number of energy-rich ions and neutrals including COS and CS₂ (Ref. 1), CH₂=N⁻ (Ref. 2), N₂O (Ref. 3), HO₂⁻ (Ref. 4), CH₂N₂, CH₃NC (Ref. 11), and others. We have investigated the mechanisms of alkane eliminations in exothermic reactions of organosilanes, both by theory and experiment (Ref. 5, 8). We have also studied the gas phase chemistry of CH₃PH₂ and CH₃PH⁻. In addition we have carried out studies of the substitution reactions of (CH₃)PCl with a series of nucleophiles in order to explore the pathway by which such analogs of S_N2 reactions occur on phosphorus. As was the case for silicon, also a second row element, it appears that an intermediate anion [(CH₃)₂Cl PNu] is formed during the reaction. We have also carried out mechanistic studies on phosphorus and sulfur esters to investigate how hydrolysis proceeds in the gas phase.

In summary, our three years of ARO sponsorship have been extremely exciting and productive. This research has resulted in thirteen publications with four additional manuscripts currently in preparation.

C. ARO SPONSORED PUBLICATIONS

1. "Fragmentation of Organic Anions Induced by Exothermic Addition Reactions", C. H. DePuy, *Org. Mass Spectrometry*, **1985**, 20, 556-559.
2. "Gas-Phase Ion Chemistry of Azides. The Generation of $\text{CH}_2=\text{N}^-$ and $\text{CH}_2=\text{NCH}_2^-$ ", S. R. Kass and C. H. DePuy, *J. Org. Chem.*, **1985**, 50, 2874-2877.
3. "Nitrous Oxide in Gas Phase Ion-Molecule Chemistry: A Versatile Reagent for the Determination of Carbanion Structure", S. R. Kass, J. Filley, J. M. Van Doren, C. H. DePuy, *J. Am. Chem. Soc.*, **1986**, 108, 2849-2852.
4. "Gas Phase Reactions of the Hydroperoxide and Peroxyformate Anions", J. H. Bowie, C. H. DePuy, S. A. Sullivan and V. M. Bierbaum, *Can. J. Chem.*, **1986**, 64, 1046-1050.
5. "The Gas Phase Negative Ion Chemistry of Organosilanes", *Acc. Chem. Res.*, **1987**, 20, 127-133.
6. "Formation of Anions in the Gas Phase", C. H. DePuy and V. M. Bierbaum, in "Structure/Reactivity and Thermochemistry of Ions", P. Ausloos and S. G. Lias (eds.); D. Reidel: Dordrecht, Holland, 1987; pp. 279-291.
7. "Proton Transfer Reactions of Anions", C. H. DePuy and V. M. Bierbaum, in "Structure/Reactivity and Thermochemistry of Ions", P. Ausloos and S. G. Lias (eds.); D. Reidel: Dordrecht, Holland, 1987; pp. 293-303.
8. "The Mechanisms of Alkane Eliminations from the Intermediates produced by Reactions of the Hydroxide and Methoxide Negative Ions with Tetramethylsilane in the Gas Phase", J. C. Sheldon, R. N. Hayes, J. H. Bowie and C. H. DePuy, *J. Chem. Soc., Perkin Trans. II*, **1987**, 275-280.
9. "Tandem Flowing Afterglow-Selected Ion Flow Tube and Its Application to the Thermal Energy Reactions of $^{18}\text{O}^-$ ", J. M. Van Doren, S. E. Barlow, C. H. DePuy and V. M. Bierbaum, *J. Am. Chem. Soc.*, **1987**, 109, 4412-4414.
10. "Gas Phase Chemistry of $\text{CH}_2^{\cdot -}$ ", C. H. DePuy, S. E. Barlow, J. M. Van Doren, C. R. Roberts and V. M. Bierbaum, *J. Am. Chem. Soc.*, **1987**, 109, 4414-4415.
11. "Gas Phase Negative Ion Chemistry of Methylisocyanide", J. Filley, C. H. DePuy and V. M. Bierbaum, *J. Am. Chem. Soc.* **1987**, 109, 5992-5995.

12. "Ion Molecule Reactions in a Flowing Afterglow and SIFT", C. H. DePuy and V. M. Bierbaum, *Spectros. Int. J.* **1987**, 5, 95-100.
13. "The Tandem Flowing Afterglow-SIFT-Drift", J. M. Van Doren, S. E. Barlow, C. H. DePuy and V. M. Bierbaum, *Int. J. Mass Spectrom. Ion Proc.* , **1987**, 81, 85-100.

D. PARTICIPATING SCIENTIFIC PERSONNEL

Charles H. DePuy, Professor of Chemistry, Principal Investigator.

Veronica M. Bierbaum, Senior Research Associate, Co-Principal Investigator.

Christopher R. Roberts, post-doctoral research associate.

Amy S. Mullin, graduate student

Jane M. Van Doren, graduate student; Ph.D. awarded May, 1987.

Stephan E. Barlow, postdoctoral research associate.

Jonathan Filley, graduate student; Ph.D. awarded 1985.

Steven R. Kass, postdoctoral research associate.

Brad McGarvey, undergraduate research assistant.

END

DATE

FILMED

6-1988

DTIC